Demolition and Lead Dust

Dave Jacobs, PhD National Center for Healthy Housing University of Illinois at Chicago

Lead in Children's Products









LEAD EXPOSURE LINKED TO:

- Reduced IQ
- Reading & Learning Disabilities
- Hearing Problems
- Reduced Height
- Kidney & Hematopoietic System Disease
- Probable Human Carcinogen
- Seizures, Coma, Death
- Juvenile Delinquency & Crime

Some Effects Are Irreversible (2 reasons)


TO:

Number of Lead Poisoned Children




- Late 1970's
- Late 1980's
- Mid 1990's
- 1999-2002
- 3-4 Million1.7 Million890,000310,000

Source: Centers for Disease Control and Prevention



Has the Lead Problem Already Been Solved?

Childhood Blood Lead Is Still More than 100 Times Above "Natural" Levels



How Much Lead Paint Is Left?

- 7.5 billion square feet interior
- 29.2 billion square feet exterior
- Total = <u>36.7 billion square feet</u>
- Enough to coat the entire city of Chicago with 4 layers

Source: HUD National Survey of Lead and Allergens, 2000

European Countries That Signed the ILO Ban on Lead Paint (by 1927)

- Austria
- Belgium
- Bulgaria
- Czechoslovakia
- Estonia
- France
- Great Britain
- Greece

- Latvia
- Poland
- Romania
- Spain
- Sweden
- US Ban 1978



Wednesday, March 20, 2002

Baltimore, Maryland

INSIDE

O's rotation roup is into shape with Maduro likely to get No. 5 spot

Calvin Ms furo appears to win the last pot in the Orioles' rotati a when the team options Rick Bauer and Sean Douglass of Triple-A Rochester, Madu o would join starting pitches Scott Erickson, Jason Joh on, Sidney Ponson an Josh Towers. [Page 1s]

Nation/Wolld

Campaign finance note likely today in Senate. [Pap. 3a] Acting Mass. governo. props out of race. [Page 11A] Opposition leader backs Zim. babwe strike. [Page 16a]

Opinion

Lead paint is old, but it's not history

Poison: A poignant case shows that city and state efforts to rid rental housing of lead paint are not protecting all children.

By HEATHER DEWAR

When his family moved into their rented rowhouse in Northeast Baltimore last June, Cameron Roberts was

an active 1-year-old with a ready smile and a two-word vocabulary: "Mama" and "no."

Five months later, he lay in the intensive care ward at Kennedy Krieger Institute with a potentially lethal dose of lead in his bloodstream poisoned, his family now believes, by dust and flakes from the lead-based paint that riddled his home.

n injections probably saved the t toddler's life, doctors say, s But the lead, which lingers in

1. 1

his system, left him in danger of lifelong difficulties with learning and behavior.

Now 21 months old, the dark-eyed child still speaks only two words. He rarely smiles.

"It breaks my heart," said Cameron's grandmother, Sonia Johnson of West Baltimore. "He screams, he fails out, he bangs his head against the floor. He's a sweet little child, but he just goes through changes, and you can see it's not his fault." Tragedies like this aren't

Forever changed: Medical treatment saved Cameron Roberts from death, but the lead damage cannot be reversed.

supposed to happen in Baltimore anymore.

Two years ago, city, state and federal officials launched a concerted campaign to end the childhood lead poisoning

oth, but the lead damage cannot be reversed. ppen in Balti- that has been a scourge on Baltimore when the back

Baltimore since the 1890s. They pledged to strengthe law enforcement and telp landlords clean up the toxic lead paint [See and, 12s] coaxes Arafat effort

50 cents

heney

U.S. offers meeting if Palestinian leader acts to end violence



Paint chips poison Millie

President Bush said Thursday that his popular dog, Millie, is sick with lead poisoning after eating flecks of old paint during remodeling at the White House. It was not clear whether the dog's life is in danger.~
















And Your Kids

Newsweek.

Disturbing New Evidence About the Threat to Their Health

How to Protect Them



Baltimore Demolition Methods (1)

- Roles & Training in Lead Safe Work Practices
- Designation of Full Time Dust Suppression Manager
- Community Organization Meetings & Notification
- Landscaping, greening of lots, street and sidewalk cleaning
- Environmental Monitoring & Reporting

Baltimore Demolition Methods (2)

-Fire Hoses

• At least 2 hoses during active demolition

-one above, one below

- 1 hose used on debris when equipment is moving over it
- 4 hoses on many occasions to reduce dust

Baltimore Demolition Note Location of Hoses



Thanks

- Students: Bogdan Catalin, Alison Welch
- Faculty: Salvatore Cali, Victoria Persky, Serap Erdal
- Metropolitan Tenants Organization: John Bartlett and Richard Gilliam
- Researchers: Amy Mucha, Nicole Stites
- Statistical and Quality Control Support: Sherry Dixon and Jill Breysse
- Chicago Health and Environment Depts
 - Anne Evens, Patrick MacRoy, LaTonya Cannon
 U.S Department of Housing and Urban Development
 Many others from Baltimore

ow About 2014?

Will the houses you are building today last one hundred years?

NEW YORK CITY has over a score of frame houses built before 1800. "Well built," you say. True, but well painted, too, and almost uniformly with


Dutch Boy White Lead

and Dutch Boy linseed oil. Such paint, tinted any color, is so fine that it sinks into every joint and wood pore. It is

Write for PAINT FOLDER B of how to not materials for any same and of weather produces, how to the seing dest used hast-bingert veloce, how to these used hast-bingert veloce, how to the set. just elastic enough to prevent cracking, to keep the wood thoroughly covered and hence perfectly preserved.

TIONAL LEAD COM





Sampling Results for Exterior Lead Dust in Single Family Housing Demolition

Presented by Salvatore Cali

Authors: S. Cali¹, D. Jacobs^{1, 3}, A. Welch, B. Catalin, V. Persky¹, A. Mucha¹, S. Erdal¹, S. Freels¹, A. Evens^{1, 2}, Patrick MacRoy⁴, Sherry Dixon³, P. Scheff¹

¹University of Illinois at Chicago, School of Public Health

²Center for Neighborhood Technology

³National Center for Healthy Housing

⁴Formerly Chicago Dept. of Public Health, Childhood Lead Poisoning Prevention Program

Project PI: David Jacobs

UNIVERSITY OF ILLINOIS AT CHICAGO Health Sciences Division -SCHOOL OF PUBLIC HEALTH

Purpose

Describe study results and their significance

Acknowledgements

This project was supported by the U.S. **Department of Housing and Urban Development (HUD Grant Number: ILLHT** 0110-06), and some of the researchers were partially supported by National Institute of **Occupational Safety and Health (NIOSH)** Training Grant Number T42/OH008672. The contents of this presentation are solely the responsibility of the authors and do not necessarily represent the official views of U.S. HUD or NIOSH.

Study Description

- Target 100 events at free-standing, single-family (4 units or less) homes in Chicago undergoing demolition activities
- Measure total and lead dust fall (deposition rate), and record housing characteristics and demo activities
- Compare to total and lead dust fall at a variety of background locations
- Opportunistic sampling




Study Description (continued)

- Compile weather information
- Characterize dust in subset of 20 demo/ 5 BG events using a variety of sizeselective samplers and analysis for silica, asbestos, and metals



Site locations (as of Nov 2007)



Typical demo process/ activities: Sample locations

Demo background > ¼ mile away







Typical demo process/ activities: Reaching

Photos courtesy of Bogdan Catalin


Enclosed stairwell removed





Typical demo process/ activities: Tight spaces

Typical demo process/ activities: Tight spaces



Typical demo process/ activities: Debris removal



Table 1: Summary of Lead Demolition Results (µg/ft²/hr)

City	Average Lead Dustfall (No Demolition)	Average Lead Dustfall At the Perimeter of the Demolition Site	Maximum Lead Dustfall at the Perimeter of the Demolition Site
Baltimore 2006	<0.67	0.71	24
Chicago 2008	<0.26	6.12Hose used*5.4No hose used14.2	2974

More preliminary results

A HUD guideline for exterior surfaces (HUD Guidelines) is 800 μ g/ft²

We measured µg/ft²/hr, and looked at how much dust would accumulate over 8 hours; 14% of the sites exceeded 800 µg/ft² after 8 hours Table 2. Demolition Samples Above HUD Exterior Lead Dust Recommended Limit (800 μg/ft²) After 8 Hours of Demolition Work

Distance from Demolition (feet)	Percent Above HUD Limit After 8 Hours
60 feet	10%
100 feet	7%
140 feet	5%
300 feet	1%

At 400 feet, lead dustfall from demolition was similar to background levels

Lead dust fall by distance issues

- Front door GPS
- Property lines
- Movement of demo activity point
- All particles vs. lead particles
- Particle size, weight and shape

Project accomplishments and progress

- 101 active demo events in 2007-08, good data
- 38 background (reference) events
- Current housing sale slowdown appears to have affected frequency of demolitions in 2008
- Observer effect on dust suppression use?

Conclusions & General Recommendations

- Significant amount of lead dust is emitted by demolition of older homes
- Research and improvement of dust suppression techniques needed
- What are community needs relative to notification and controls?